

PART 23: OIL AND GAS

GENERAL REQUIREMENTS

- Pressure relief device—when required**
- 23.15**
- (1) A **pressure** vessel must have a pressure relief device set to relieve at a pressure not exceeding 103 kPa (15 psi) if ~~the vessel is~~
 - (a) **the design of the pressure vessel is** not registered under the ~~Power Engineers and Boiler and Pressure Vessel Safety Act~~ **Power Engineers, Boiler, Pressure Vessel and Refrigeration Safety Regulation, B.C. Reg. 104/2004,**
 - (b) **the pressure vessel is** connected to a production facility or compressor station, and
 - (c) **the pressure vessel is** not directly open to the atmosphere.
 - (2) A pressurized system, including any lines running from the output side of a pressure relief device which may be subject to accidental restriction, must be protected by a pressure relief device.
-

Explanatory Notes:

The *Power Engineers and Boiler and Pressure Vessel Safety Act* was repealed in 2005 and replaced by the *Safety Standards Act* and the Power Engineers, Boiler, Pressure Vessel and Refrigeration Safety Regulation. The amendment will update the reference to the *Power Engineers and Boiler and Pressure Vessel Safety Act* in section 23.15(1)(a) to refer to the Power Engineers, Boiler, Pressure Vessel and Refrigeration Safety Regulation.

All other amendments are for clarification purposes only and to ensure consistency with terminology used in the *Safety Standards Act* and the Power Engineers, Boiler, Pressure Vessel and Refrigeration Safety Regulation.